INDEX

ANDERSON, D., BONNEDAL, M. and LISAK, M. Nonlinear propagation of elliptically shaped Gaussian laser beams, 115

BERNSTEIN, I. B. *See* BOOK D. L. and BERNSTEIN, I. B.

BERTRAND, P., TUAN, N. V., GROS, M., IZRAR, B., FEIX, M. R. and GUTIERREZ, J. Classical Vlasov plasma description through quantum numerical methods, 401

BHAND, S. C. *See* CHHAJLANI, R. K. and BHAND, S. C.

BONNEDAL, M. *See* ANDERSON, D., BONNEDAL, M. and LISAK, M.

BOOK, D. L. and BERNSTEIN, I. B. Fluid instabilities of a uniformly imploding ablatively driven shell, 521

BUJARBARUA, S. *See* NAMBU, M., BUJARBARUA, S., SHUKLA, P. K. and SPATSCHEK, K. H.

BUTI, B., MOHAN, M. and SHUKLA, P. K. Exact electron-acoustic solitary waves, 341

CHHAJLANI, R. K. and BHAND, S. C. Derivation of CGL theory with finite Larmor radius corrections, 205

CLEMMOW, P. C. and HARDING, R. D. Nonlinear waves in a magnetized plasma: periodicity analysis, 71

CRAWFORD, F. W. *See* LEVINE, J. S. and CRAWFORD, F. W.

CRESCENTINI, A. A. and OREFICE, A. Quasi linear approach to the propagation of Bernstein waves with an inhomogeneous plasma, 209

DAVIDSON, R. C. *See* MONDT, J. P. and DAVIDSON, R. C.

DORCHAK, E. J. and LIBOFF, R. L. Dual propagation and absorption in a warm plasma half space, 295

DUM, C. T., MARSCH, E. and PILIPP, W. Determination of wave growth from measured distribution functions and transport theory, 91

FEIX, M. R. *See* BERTRAND, P., TUAN, N. V., GROS, M., IZRAR, B., FEIX, M. R. and GUTIERREZ, J.

GALIN, E. Parametric instabilities in a turbulent plasma, 463

GARY, S. P. *See* LEMONS, D. S., GARY, S. P. and WINSKE, D.

GENONI, T. C. and PROCTOR, W. A. Upper bound for the space-charge limiting current of annular electron beams, 129

GILES, M. J. The statistical mechanics of vortex-acoustic ion wave turbulence, 545

GOEDERT, J. and MONDT, J. P. Local stability of anisotropy-driven modes in diffuse high-beta plasmas, 501

GREBOGI, C. and LIU, C. S. Parametric decay of extraordinary electromagnetic waves into two upper hybrid plasmons, 147

GROS, M. *See* BERTRAND, P., TUAN, N. V., GROS, M., IZRAR, B., FEIX, M. R. and GUTIERREZ, J.

GUTIERREZ, J. *See* BERTRAND, P., TUAN, N. V., GROS, M., IZRAR, B., FEIX, M. R. and GUTIERREZ, J.

HAINES, M. G. *See* TOMIMURA, A. and HAINES, M. G.

HARDING, R. D. *See* CLEMMOW, P. C. and HARDING, R. D.

HIREMATH, S. B. *See* SOUNDALGEKAR, V. M., RAVI, S. and HIREMATH, S. B.

IZRAR, B. *See* BERTRAND, P., TUAN, N. V., GROS, M., IZRAR, B., FEIX, M. R. and GUTIERREZ, J.

JANZEN, G. Wave propagation in a temperate multi-species plasma around the ion cyclotron frequency range, 321

JOHNSON, L. E. Numerical model of plasma double layers using the Vlasov equation, 433

KREUZER, H. J. *See* LOWY, D. N. and KREUZER, H. J.

LEE, K. F. Instability of lower hybrid waves in collisional plasmas with a field aligned current, 249

LEMONS, D. S. and WINSKE, D. Statistical thermodynamics of temperature anisotropy driven Weibel instabilities, 283

LEMONS, D. S., GARY, S. P. and WINSKE, D. Corrigendum: Nonlinear theory of the Weibel instability, 203

LEVINE, J. S. and CRAWFORD, F. W. A fluid description of plasma double-layers, 223

LIBOFF, R. L. *See* DORCHAK, E. J. and LIBOFF, R. L.

LISAK, M. *See* ANDERSON, D., BONNEDAL, M. and LISAK, M.

LIU, C. S. *See* GREBOGI, C. and LIU, C. S.

LOWY, D. N. and KREUZER, H. J. On the validity of a hydrodynamic description of laser-driven fusion, 357

MARSCH, E. *See* DUM, C. T., MARSCH, E. and PILIPP, W.

MERCHES, I. A relativistically covariant formulation in the theory of plasma stability, 259

MITTAL, M. L. *See* PRAHALAD, Y. S. and MITTAL, M. L.

MOHAN, M. *See* BUTI, B., MOHAN, M. and SHUKLA, P. K.

MONDT, J. P. and DAVIDSON, R. C. Hybrid-kinetic stability properties of high-beta plasmas, 157

MONDT, J. P. *See* GOEDERT, J. and MONDT, J. P.

MONTANES, J. L. *See* SANMARTIN, J. R. and MONTANES, J. L.

MURTY, S. S. R. *See* SHANMUGASUNDAREM, V. and MURTY, S. S. R.

NAGATA, M. A calculation with respect to momentum transfer by the electron-neutral collisions and a new approach to the Boltzmann collision integral, 453

NAMBU, M., BUJARBARUA, S., SHUKLA, P. K. and SPATSCHEK, K. H. Generation of whistler-mode signals in the presence of enhanced fluctuations in plasmas, 483

NIU, N. *See* OKADA, T. and NIU, N.

OHE, K. and TAKEDA, S. The half subharmonic excitation of ionization waves in positive columns of glow discharges, 21

OHLSSON, D. Stability properties of cold mantle systems for current driven modes, 383

OKADA, T. and NIU, N. Electromagnetic instability and stopping power of plasma for relativistic electron beams, 423

OREFICE, A. *See* CRESCENTINI, A. A. and OREFICE, A.

PAVLENKO, V. Nonlinear Landau damping of large amplitude Langmuir waves and formation of standing nonlinear waves, 475

PILIPP, W. *See* DUM, C. T., MARSCH, E. and PILIPP, W.

PRAHALAD, Y. S. and MITTAL, M. L. Waves in a magnetoplasma with stochastic magnetic field, 311

PROCTOR, W. A. *See* GENONI, T. C. and PROCTOR, W. A.

RAVI, S. *See* SOUNDALGEKAR, V. M., RAVI, S. and HIREMATH, S. B.

SANMARTIN, J. R. and MONTANES, J. L. Self-consistent profile modification in the underdense region of laser-produced plasmas, 349

SANUKI, H. and WEILAND, J. Electromagnetic drift wave turbulence and convective cell formation, 29

SCHNEIDER, C. P. Effective collision frequency and electron temperature in a weakly ionized argon plasma, 271

SHANMUGASUNDAREM, V. and MURTY, S. S. R. Structure of shock waves at reentry speeds, 43

SHARMA, R. P. *See* THAKUR, A. and SHARMA, R. P.

SHARMA, R. R. Oscillating two stream instability of upper hybrid laser radiation in a plasma, 515

SHARMA, R. R. *See* SODHA, M. S., SHARMA, R. R. and TRIPATHI, V. K.

SHUKLA, P. K. *See* BUTI, B., MOHAN, M. and SHUKLA, P. K.

SHUKLA, P. K. *See* NAMBU, M., BUJARBARUA, S., SHUKLA, P. K. and SPATSCHEK, K. H.

SODHA, M. S., SHARMA, R. R. and TRIPATHI, V. K. Nonlinear scattering of whistlers by lower hybrid and ion Bernstein modes, 141

SOUNDALGEKAR, V. M., RAVI, S. and HIREMATH, S. B. Hall effects on MHD flow past an accelerated plate, 495

SPATSCHEK, K. H. *See* NAMBU, M., BUJARBARUA, S., SHUKLA, P. K. and SPATSCHEK, K. H.

TAKEDA, S. *See* OHE, K. and TAKEDA, S.

THAKUR, A. and SHARMA, R. P. Generation of an electrostatic pulse by two electromagnetic pulses in a plasma, 535

TOMIMURA, A. and HAINES, M. G. Energy equilibria in the diffuse pinch. Part 3. The electrothermal stability analysis with wave vector orthogonal to the magnetic field, 1

TRIPATHI, V. K. *See* SODHA, M. S., SHARMA, R. R. and TRIPATHI, V. K.

TUAN, N. V. *See* BERTRAND, P., TUAN, N. V., GROS, M., IZRAR, B., FEIX, M. R. and GUTIERREZ, J.

WEILAND, J. *See* SANUKI, H. and WEILAND, J.

WINSKE, D. *See* LEMONS, D. S. and WINSKE, D.

WINSKE, D. *See* LEMONS, D. S., GARY, S. P. and WINSKE, D.

JOURNAL OF PLASMA PHYSICS

JOURNAL OF PLASMA PHYSICS

VOLUME 23
1980

CAMBRIDGE UNIVERSITY PRESS
CAMBRIDGE
LONDON NEW YORK NEW ROCHELLE
MELBOURNE SYDNEY

Published by the Press Syndicate of the University of Cambridge
The Pitt Building, Trumpington Street, Cambridge CB2 1RP
32 East 57th Street, New York, N.Y. 10022

© Cambridge University Press 1980

Printed in Great Britain at the University Press, Cambridge

CONTENTS TO VOLUME 23

Part 1 February 1980

Energy equilibria in the diffuse pinch. Part 3. The electrothermal stability analysis with wave vector orthogonal to magnetic field. A. Tomimura and M. G. Haines *page* 1

The half subharmonic excitation of ionization waves in positive columns of glow discharges. Kazuyuki Ohe and Susumu Takeda 21

Electromagnetic drift wave turbulence and convective cell formation. H. Sanuki and J. Weiland 29

Structure of shock waves at re-entry speeds. V. Shanmugasundaram and S. S. R. Murty 43

Nonlinear waves in a magnetized plasma: periodicity analysis. P. C. Clemmow and R. D. Harding 71

Determination of wave growth from measured distribution functions and transport theory. C. T. Dum, E. Marsch and W. Pilipp 91

Nonlinear propagation of elliptically shaped Gaussian laser beams. D. Anderson, M. Bonnedal and M. Lisak 115

Upper bound for the space-charge limiting current of annular electron beams. T. C. Genoni and W. A. Proctor 129

Nonlinear scattering of whistlers by lower hybrid and ion Bernstein modes. M. S. Sodha, R. R. Sharma and V. K. Tripathi 141

Parametric decay of extraordinary electromagnetic waves into two upper hybrid plasmons. Celso Grebogi and C. S. Liu 147

Hybrid-kinetic stability properties of high-beta plasmas. J. P. Mondt and R. C. Davidson 157

Corrigendum. Don. S. Lemons, S. Peter Gary and D. Winske 203

Part 2 April 1980

Derivation of CGL theory with finite Larmor radius corrections. R. K. Chhajlani and S. C. Bhand 205

Quasi-linear approach to the propagation of Bernstein waves in an inhomogeneous plasma. A. A. Crescentini and A. Orefice 209

A fluid description of plasma double-layers. J. S. Levine and F. W. Crawford 223

Instability of lower-hybrid waves in collisional plasmas with a field-aligned current. K. F. Lee 249

A relativistically covariant formulation in the theory of plasma stability. I. Merches 259

Effective collision frequency and electron temperature in a weakly ionized argon plasma. C. P. Schneider 271

Statistical thermodynamics of temperature anisotropy driven Weibel instabilities. D. S. Lemons and D. Winske 283

Dual propagation and absorption in a warm plasma half-space. E. J. Dorchak and R. L. Liboff 295

Waves in a magnetoplasma with a stochastic magnetic field. Y. S. Prahalad and M. L. Mittal 311

Wave propagation in a temperate multi-species plasma around the ion cyclotron frequency range. G. Janzen 321

Exact electron-acoustic solitary waves. B. Buti, M. Mohan and P. K. Shukla 341

Self-consistent profile modification in the underdense region of laser-produced plasmas. J. R. Sanmartín and J. L. Montañes 349

On the validity of a hydrodynamic description of laser-driven fusion. D. N. Lowy and H. J. Kreuzer 357

Part 3 June 1980

Stability properties of cold mantle systems for current-driven modes. D. Ohlsson 383

Classical Vlasov plasma description through quantum numerical methods. P. Bertrand, N. V. Tuan, M. Gros, B. Izrar, M. R. Feix and J. Gutierrez 401

Electromagnetic instability and stopping power of plasma for relativistic electron beams. T. Okada and K. Niu 423

Numerical model of plasma double layers using the Vlasov equation. L. E. Johnson 433

A calculation with respect to momentum transfer by the electron-neutral collisions and a new approach to the Boltzmann collision integral. M. Nagata 453

Parametric instabilities in a turbulent plasma. E. Galin 463

Nonlinear Landau damping of large amplitude Langmuir waves and formation of standing nonlinear waves. V. Pavlenko 475

Generation of whistler-mode signals in the presence of enhanced fluctuations in plasmas. M. Nambu, S. Bujarbarua, P. K. Shukla and K. H. Spatschek 483

Hall effects of MHD flow past an accelerated plate. V. M. Soundalgekar, S. Ravi and S. B. Hiremath 495

Local stability of anisotropy-driven modes in diffuse high-beta plasmas. J. Goedert and J. P. Mondt 501

Oscillating two stream instability of upper-hybrid laser radiation in a plasma. R. R. Sharma 515

Fluid instabilities of a uniformly imploding ablatively driven shell. D. L. Book and I. B. Bernstein 521

Generation of an electrostatic pulse by two electromagnetic pulses in a plasma. A. THAKUR and R. P. SHARMA 535

The statistical mechanics of vortex-acoustic ion wave turbulence. M. J. GILES 545

AUTHOR INDEX, VOLUME 23 567

INDEX

ADLER, A. *See* FRIED, B. D., ADLER, A. and BINGHAM, R.

AHMADI, G. and HIROSE, A. Functional calculus in strong plasma turbulence, 489

BALESCU, R. Self-similar state of a weakly turbulent plasma, 551

BEREZHIANI, V. I., TSINTSADZE, N. L. and TSKHAKAYA, D. D. Nonlinear phenomena in plasma with relativistic high-frequency electron motion, 15

BHATIA, K. G. and LAKHINA, G. S. Low-frequency electrostatic instability due to anti-loss-cone electrons, 221

BINGHAM, R. *See* FRIED, B. D., ADLER, A. and BINGHAM, R.

BRENNAN, M. H. and SAWLEY, M. L. Re-ionization of a partially ionized plasma by an Alfvén wave of moderate amplitude, 65

BUTI, B. Nonlinear electron-acoustic waves in a multi-species plasma, 169

BYDDER, E. L. and LILEY, B. S. Longitudinal electron modes in a plasma, 237

CAIRNS, R. A. *See* SHERWILL, D. and CAIRNS, R. A.

CHIUDERI, C., EINAUDI, G., MA, S. S. and VAN HOVEN, G. The stability properties of cylindrical force-free fields: effect of an external potential field, 39

CHU, M. S. *See* JENSEN, T. H. and CHU, M. S.

CRAWFORD, F. W. *See* LEVINE, J. S. and CRAWFORD, F. W.

EDENSTRASSER, J. W. The only three classes of symmetric MHD equilibria, 515

EDENSTRASSER, J. W. Unified treatment of symmetric MHD equilibria, 299

EINAUDI, G. *See* CHIUDERI, C., EINAUDI, G., MA, S. S. and VAN HOVEN, G.

FIELDING, P. J. and HITCHON, W. N. G. Plasma equilibrium in $l = 3$ stellerators, 453

FRIED, B. D., ADLER, A. and BINGHAM, R. Theory of double resonance parametric excitation in plasmas. Part 2, 315

GRABBE, C. L. Resonance cones and guided wave modes, 163

GRANIK, A. Kelvin-Helmholtz problem in a rotating Hall plasma, 213

GUERNSEY, R. L. *See* MONDT, J. P. and GUERNSEY, R. L.

HEADING, J. A unified approach to some integral formulae for reflexion processes in an isotropic plasma, 519

HIROSE, A. *See* AHMADI, G. and HIROSE, A.

HITCHON, W. N. G. *See* FIELDING, P. J. and HITCHON, W. N. G.

JENSEN, T. H. and CHU, M. S. Low-frequency linear response of a cyclindrical tokamak with arbitrary cross-section to 'helical' perturbations, 229

KLIMENKO, V. A. *See* MIKHAILOVSKII, A. B. and KLIMENKO, V. A.

LAKHINA, G. S. *See* BHATIA, K. G. and LAKHINA, G. S.

LEE, M. A. and LERCHE, I. On self-consistent waves and their stability in warm plasmas. Part 2. Instability of circularly polarized waves both in the presence and the absence of an ambient magnetic field, 89

LERCHE, I. *See* LEE, M. A. and LERCHE, I.

LEVINE, J. S. and CRAWFORD, F. W. Langmuir probe measurements of double layers in a pulsed discharge, 359

LILEY, B. S. *See* BYDDER, E. L. and LILEY, B. S.

Lisak, M. Modulational instability of electrostatic cyclotron wave in a two-electron-temperature plasma, 445

Low, B. C. On the resistive diffusion of force-free magnetic fields, 181

Lucas, R. J. The stability of parallel flow in a multi-component plasma, 251

Ma, S. S. *See* Chiuderi, C., Einaudi, G., Ma, S. S. and Van Hoven, G.

Mathers, C. D. Transverse MHD shock waves in a partly ionized plasma. Part 1. Structure equations and topology, 103

Mathers, C. D. Transverse MHD shock waves in a partly ionized plasma. Part 2. Shock structure in hydrogen, 121

Mikhailovsii, A. B. and Klimenko, V. A. The microinstabilities of high-beta plasma flow with a non-uniform velocity profile, 385

Milić, B. S. *See* Žigman, V. J. and Milić, B. S.

Misra, P. and Mohanty, J. N. Dispersion formulae for waves in a magneto-active relativistic plasma, 409

Mohanty, J. N. *See* Misra, P. and Mohanty, J. N.

Mondt, J. P. and Guernsy, R. L. AC conductivity in a homogeneous plasma from a convergent collision integral, 541

Nguyen, T. H. *See* Okuzawa, T. and Nguyen, T. H.

Niu, K. *See* Okada, T. and Niu, K.

Okada, T. and Niu, K. Effect of collisions on the relativistic electromagnetic instability, 483

Okuzawa, T. and Nguyen, T. H. Scattering from electron density irregularities in a compressible anisotropic plasma, 341

Ong, R. S. B. *See* Sheerin, J. P. and Ong, R. S. B.

Pelletier, G. Langmuir turbulence as a critical phenomenon. Part 1. Destruction of the statistical equilibrium of an interacting-modes ensemble, 287

Pelletier, G. Langmuir turbulence as a critical phenomenon. Part 2. Application of the dynamical renormalization group method, 421

Pramanik, G. C. Nonlinear coupling of five waves in non-uniform streaming plasma, 55

Ray, P. S. Energy loss of relativistic electrons in plasma in accordance with covariant Fokker–Planck formalism, 75

Rozmus, W. Plasmadynamical description of two-component weakly coupled plasma, 265

Sawley, M. L. See Brennan, M. H. and Sawley, M. L.

Schamel, H. and Schmidt, G. A generalization of kinetic ponderomotive effects, 149

Schmidt, G. *See* Schamel, H. and Schmidt, G.

Sheerin, J. P. and Ong, R. S. B. Solitary Alfvén waveguide structures in a magnetized plasma, 157

Sherwell, D. and Cairns, R. A. Parametric instability driven by density modulation in velocity space, 25

Shivamoggi, B. K. and Uberoi, M. S. Convective instability of a plasma slab in a magnetic field, 479

Strangeway, R. J. On the stability of a spatially confined electron beam in a magnetized plasma, 193

Tsintsadze, N. L. *See* Berezhiani, V. I., Tsintsadze, N. L. and Tskhakaya, D. D.

Tskhakaya, D. D. *See* Berezhiani, V. I., Tsintsadze, N. L. and Tskhakaya, D. D.

UBEROI, M. S. *See* SHIVAMOGGI, B. K. and UBEROI, M. S.

VAN HOVEN, G. *See* CHIUDERI, C., EINAUDI, G., MA, S. S. and VAN HOVEN, G.

WINTERBERG, F. Super-ion-beam accelerator for the ignition of thermonuclear reactions, 1

YEH, T. Self-induced magnetic force of a toroidal current, 533

ŽIGMAN, V. J. and MILIĆ, B. S. Slowly propagating instabilities in plasma with Margenau-Davydov electron distribution, 503

REVIEW

Solar System Plasma Physics, Volumes 1, 2 and 3. Edited by C. F. Kennel, L. J. Lanzerotti and E. N. Parker, 191

JOURNAL OF PLASMA PHYSICS

JOURNAL OF PLASMA PHYSICS exists for the publication of experimental and theoretical research papers on plasma physics and its applications.

EDITOR

DR J. P. DOUGHERTY

Department of Applied Mathematics and Theoretical Physics, University of Cambridge, Silver Street, Cambridge CB3 9EW, England

ASSOCIATE EDITORS

PROF. D. BERSHADER

Department of Aeronautics and Astronautics, Stanford University, Stanford, California 94305, U.S.A.

PROF. F. D. KAHN

Department of Astronomy, University of Manchester, Manchester M13 9PL, England

PROF. W. B. THOMPSON

Department of Physics, University of California, La Jolla, California 92093, U.S.A.

Authors wishing to have papers published in the JOURNAL should communicate them to any one of the persons named above, choosing one in their own country where possible.

Authors are urged to ensure that their papers are written clearly and attractively, in order that their work will be readily accessible to readers.

Manuscripts should be typed in double spacing on one side of the paper only, with references listed at the end in alphabetical order of authors. Drawings should be done in Indian ink on plain white or transparent paper, and should not be larger than 15 in. by 24 in. Lettering should be shown clearly in pencil for reproduction by the printer, and as far as possible information relating to a figure should be placed in the caption rather than on the figure. A typed list of captions should be provided at the end of the manuscript. Proofs of papers from overseas will usually be despatched to authors by airmail. There is no charge for publication. Authors are entitled to receive 50 offprints of a paper in the JOURNAL free of charge, and additional offprints can be purchased if ordered in advance.

© Cambridge University Press 1980

Copying

This journal is registered with the Copyright Clearance Center, 21 Congress St., Salem, Mass. 01970. Organizations in the U.S.A. who are also registered with C.C.C. may therefore copy material (beyond the limits permitted by sections 107 and 108 of U.S. copyright law) subject to payment to C.C.C of the per copy fee indicated in the code on the first page of the article. This consent does not extend to multiple copying for promotional or commercial purposes.

ISI Tear Service, 3501 Market Street, Philadelphia, Pennsylvania 19104, U.S.A., is authorized to supply single copies of separate articles for private use only.

For all other use, permission should be sought from the Cambridge or New York offices of the Cambridge University Press.

JOURNAL OF PLASMA PHYSICS (ISSN 0022-3778) is published once every two months in February, April, June, August, October and December, by Cambridge University Press, P.O. Box 110, Cambridge CB2 3RL and 32 East 57th Street, New York, N.Y. 10022.

Three parts form a volume. The subscription price (which includes postage) of Volumes 23 and 24 (1980) is £49.00 net per volume (US $145.00 in the U.S.A. and Canada) for institutions; £24.50 (US $72.50) per volume for individuals. Single parts cost £18.50 each (US $55.00 in the U.S.A. and Canada) plus postage. All orders must be accompanied by payment.

Copies of the journal for subscribers in the United States of America and Canada are sent by air to New York to arrive with minimum delay.

Second class postage paid at New York. N.Y. *POSTMASTER*: send address changes in U.S.A. and Canada to Cambridge University Press, 32 East 57th Street, New York. N.Y. 10022.

JOURNAL OF PLASMA PHYSICS

VOLUME 24
1980

CAMBRIDGE UNIVERSITY PRESS
CAMBRIDGE
LONDON NEW YORK NEW ROCHELLE
MELBOURNE SYDNEY

Published by the Press Syndicate of the University of Cambridge
The Pitt Building, Trumpington Street, Cambridge CB2 1RP
32 East 57th Street, New York, N.Y. 10022

© Cambridge University Press 1980

Printed in Great Britain at the University Press, Cambridge

CONTENTS TO VOLUME 24

PART 1 AUGUST 1980

Super-ion-beam accelerator for the ignition of thermonuclear reactions. F. WINTERBERG *page* 1

Nonlinear phenomena in plasma with relativistic high-frequency electron motion. V. I. BEREZHIANI, N. L. TSINTSADZE and D. D. TSKHAKAYA 15

Parametric instability driven by density modulation in velocity space. D. SHERWELL and R. A. CAIRNS 25

The stability properties of cylindrical force-free fields: effect of an external potential field. C. CHIUDERI, G. EINAUDI, S. S. MA and G. VAN HOVEN 39

Nonlinear coupling of five waves in non-uniform streaming plasma. G. C. PRAMANIK 55

Re-ionization of a partially ionized plasma by an Alfvén wave of moderate amplitude. M. H. BRENNAN and M. L. SAWLEY 65

Energy loss of relativistic electrons in plasma in accordance with covariant Fokker–Planck formalism. P. S. RAY 75

On self-consistent waves and their stability in warm plasmas. Part 2. Instability of circularly polarized waves both in the presence and the absence of an ambient magnetic field. M. A. LEE and I. LERCHE 89

Transverse MHD shock waves in a partly ionized plasma. Part 1. Structure equations and topology. C. D. MATHERS 103

Transverse MHD shock waves in a partly ionized plasma. Part 2. Shock structure in hydrogen. C. D. MATHERS 121

A generalization of kinetic ponderomotive effects. HANS SCHAMEL and GEORGE SCHMIDT 149

Solitary Alfvén waveguide structures in a magnetized plasma. J. P. SHEERIN and R. S. B. ONG 157

Resonance cones and guided wave modes. CROCKETT L. GRABBE 163

Nonlinear electron-acoustic waves in a multi-species plasma. B. BUTI 169

On the resistive diffusion of force-free magnetic fields. B. C. LOW 181

REVIEW

Solar System Plasma Physics, edited by L. J. Lanzerotti, C. F. Kennel and E. N. Parker 191

PART 2 OCTOBER 1980

On the instability of a spatially confined electron beam in a magnetized plasma. R. J. STRANGEWAY 193

Kelvin–Helmholtz problem in a rotating Hall plasma. A. T. GRANIK 213

Low-frequency electrostatic instability due to anti-loss-cone electrons. K. G. BHATIA and G. S. LAKHINA 221

Low-frequency linear response of a cylindrical tokamak with arbitrary cross-section to 'helical' perturbations. TORKIL H. JENSEN and MING S. CHU 229

Longitudinal electron modes in plasma. E. L. BYDDER and B. S. LILEY 237

The stability of parallel flow of a multi-component plasma. R. J. LUCAS 251

Plasmadynamical description of two-component weakly coupled plasma. W. ROZMUS 265

Langmuir turbulence as a critical phenomenon. Part 1. Destruction of the statistical equilibrium of an interacting-modes ensemble. GUY PELLETIER 287

Unified treatment of symmetric MHD equilibria. JOHANN W. EDENSTRASSER 299

Theory of double resonance parametric excitation in plasma. Part 2. BURTON D. FRIED, ALLEN ADLER and ROBERT BINGHAM 315

Scattering from electron density irregularities in a compressible, anisotropic plasma. T. OKUZAWA and T. H. NGUYEN 341

Langmuir probe measurements of double-layers in a pulsed discharge. J. S. LEVINE and F. W. CRAWFORD 359

PART 3 DECEMBER 1980

The microinstabilities of high-β plasma flow with a non-uniform velocity profile. A. B. MIKHAILOVSKII and V. A. KLIMENKO 385

Dispersion formulae for waves in a magneto-active relativistic plasma. P. MISRA and J. N. MOHANTY 409

Langmuir turbulence as a critical phenomenon. Part 2. Application of the dynamical renormalization group method. G. PELLETIER 421

Modulational instability of electrostatic ion cyclotron wave in a two-electron-temperature plasma. M. LISAK 445

Plasma equilibrium in toroidal $l = 3$ stellarators. P. J. FIELDING and W. N. G. HITCHON 453

Convective instability of a plasma slab in a magnetic field. B. K. SHIVAMOGGI and M. S. UBEROI 479

Effect of collisions on the relativistic electromagnetic instability. T. Okada and K. Niu 483

Functional calculus in strong plasma turbulence. G. Ahmadi and A. Hirose 489

Slowly propagating instabilities in plasmas with Margenau–Davydov electron distribution function. V. J. Žigman and B. S. Milić 503

The only three classes of symmetric MHD equilibria. J. W. Edenstrasser 515

A unified approach to some integral formulae for reflexion processes in an isotropic plasma. J. Heading 519

Self-induced magnetic force of a toroidal current. T. Yeh 533

A.C. conductivity in a homogeneous plasma from a convergent collision integral. J. P. Mondt and R. L. Guernsey 541

Self-similar state of a weakly turbulent plasma. R. Balescu 551

Author Index to Volume 24 577